AN APPROACH TO VALIDATION PLANS FOR SATELLITE CONTROL GENERATED WITH PLANNERS SYSTEMS BASED AUTONOMOUS ARTIFICIAL INTELLIGENCE



André A. de Souza Ivo¹, Mauricio G. Vieira Ferreira¹, Nilson Sant'Anna¹, Ana Maria Ambrosio¹

¹Instituto Nacional de Pesquisas Espaciais (INPE), Brazil

andre.ivo@inpe.br, mauricio@ccs.inpe.br, nilson@lac.inpe.br, ana@dss.inpe.br



INTRODUCTION

The scheduling or autonomous planning is one of the areas of artificial intelligence (IA), which develops the process to define the sequence of actions to achieve the objectives established through computational methods.

Through an initiative of the ESA (European Space Agency) emerges the SPASS (Software Product Assurance for Autonomy Spacecraft on-board), a project that resulted in a job that recommends extensive testing and use of simulation techniques, with application of two software components, the plausibility checker and bag security, proposed by (Blanquart, 2004).

The purpose of this paper is to show a theoretical approach to implemente a plausibility checker and

3. **APPROACH FOR VALIDATION OF PLANS**

The proposed makes use of Finite State Machines (FSM) to model the planning and its various possibilities of states and transitions.

The application of such techniques has focused on the validation of flight plans of satellites from INPE, however, for this article was used as a case study a classical problem of planning, The World of Blocks.

approach makes use of FSM The proposed techniques for modeling and generating the validation of plans generated by autonomous systems. The Figure 3 shows the beginning of the modeling to the problem of case study.

The generation of plans for validation has been performed with the tool JPlavis FSM. (Pinheiro, 2011).

The tool JPlavis FSM's main objective is the automatic generation of tests from a finite state machine. The generation is based on algorithms of reduction the FSM known such as method W (Chow, 1978), Wp (Fujiwara, Von Bochmann, Khendek, Amalou, & Ghedamsi, 1991), UIO (Sabnani & Dahbura, 1988), HSI (Petrenko, Yevtushenko, Lebedev, & Das, 1993) e SPY (Simão, Petrenko, & Yevtushenko, 2009).

Given the initial state of the system the tool JPlavis FSM is capable of generating all possible plans for FSM described. The results obtained for the case of study, the World of blocks, can be observed in Table

safety bag as described by (Blanquart, 2004).

SOFTWARES COMPONENTS 2.

According to the recommendations proposed in the Supervision On-board work "Software Safety Autonomous Spacecraft" (Blanquart, 2004) two generic software components are defined:

Plausibility checker

The plausibility checker is a software component responsible for supporting the validation of plans in ground stations before they are sent to systems in space environment, as shown in architecture Figure 1.




Figure 1 - Architecture of plausibility checker (Blanquart, 2004)

•Safety Bag




Figure 3 - Graph of states of a plan to the problem of The World of Blocks

In the example shown in Figure 3, the transition table generated can be observed in Table 1.

Table 1 - Table of transition states									
States / Events	#A	AB	AC	#B	BA	BC	#C	CA	СВ
q0	q 0	q0	q0	q0	q0	q0	q1	q0	q0
q1	q2	q1	q12	q1	q1	q1	q1	q0	q1
q2	q2	q1	q12	q2	q6	q3	q2	q8	q10
q3	q3	q4	q3	q2	q6	q3	q3	q3	q3
q4	q3	q4							
q5	q5	q5	q5	q5	q5	q5	q6	q5	q5
q6	q6	q6	q6	q2	q6	q3	q6	q6	q5
q7	q7	q7	q7	q8	q7	q7	q7	q7	q7
q 8	q 8	q8	q8	q8	q8	q7	q2	q8	q10
q9	q10	q9							
q10	q10	q10	q9	q10	q10	q10	q2	q8	q10
q11	q11	q11	q11	q12	q11	q11	q11	q11	q11
q12	q2	q1	q12	q12	q11	q12	q12	q12	q12

From the transition table is constructed the state

Table 2 - Test results generated by JPlavis FSM

Method	Plans
W	210
HSI	129
SPY	44
UIO	117

CONCLUSION 4.


2.

The algorithms generated all possible plans for FSM described, regardless of the end state. However to meet the main requirement of the planner (from an initial goal, shall be able to plan to achieve the final goal) it is necessary that the algorithms are changed including the restriction to be selected only the plans that include final goal.

The plausibility checker would be completed with this implementation and can be used to verify the plans on the ground stations.

The method for the plausibility checker can be used in the safety bag. However, the approach changes slightly due to the dynamic characteristic of the, the purpose of including a safety bag on-board computer is to make the actions of the plan are evaluated in real time, therefore the initial state is changed, assuming is position.


component will be responsible for Ihis supporting the decision of the onboard computer for execute the flight plan based on current conditions. architecture of the safety bag can be observed in Figure 2.



machine shown in Figure 4, using Mealy for representation.

#B/110

AB/111



The validation should not be performed in the plan as a whole, but only on the next action.

To this should be evaluated if the next action that the system want to run is within a valid set of actions that should be checked against plans generated by the method.

BIBLIOGRAPHY 5.

•Blanquart, J.-P. (2004). Software Safety Supervision On-board Autonomous Spacecraft. 2nd European Congress ERTS, EMBEDDED REAL TIME SOFTWARE - 21-23 January 2004, Toulouse, France •Cardoso, L. S. (2006). An Intelligent System for Generation of Automatic Flight Operation Plans for the

Satellite Control Activities at INPE. 9th Conference on Space Operations (SpaceOps-2006) •Chow, T. S. (1978). Testing software design modeled by finite-state machines. IEEE Transactions on Software Engineering, v.4.

•Fujiwara, S., Von Bochmann, G., Khendek, F., Amalou, M., & Ghedamsi, A. (1991). Test selection based on finit state models. EEE Transactions on Software Engineering, v.17.

•Kucinskis, F. d. (2007). Alocação dinâmica de recursos computacionais para experimentos científicos com replanejamento automatizado a bordo de satélites. São José dos Campos, SP, Brasil: INPE.

•Petrenko, A., Yevtushenko, N., Lebedev, A., & Das, A. (1993). Nondeterministic state machines in protocol confance testing. Proceedings of the 6th International Workshop on Protocol Test systems

•Pinheiro, A. C. (2011). Subsidies for the application of state machine based test case generation methods. São Paulo, SP, Brasil: Universidade de São Paulo (USP).

•Sabnani, K., & Dahbura, A. (1988). A protocol test generation procedure. Computer Networks and ISDN Sytems, v.15

•Simão, A., Petrenko, A., & Yevtushenko, N. (2009). Generation Reduced Test for FSMs with Extra States. Proceeding TESTCOM '09/FATES '09 Proceedings of the 21st IFIP WG 6.1 International Conference on Testing of Software and Communication Systems and 9th International FATES Workshop

•Souza, P. B. (2011). Uma estratégia baseada em algoritmos de mineração de dados para validar plano de operação de voo a partir de predições de estados dos satélites do INPE. São José dos Campos, SP, Brasil: INPE.

The 12th International Conference on Space Operations - 11-15 June in Stockholm, Sweden